

Time	:PROMID	:IAC	:Coolant Temp	SPEED	:MAP	:RPM	:TPS	INT	:O2	Battery V.	Knock	:BLM	:rich / lean counter
1	9531	81	117.2	0	45	900	0.7	128	0.46	6.3	0	128	160
3.4	9531	81	117.2	0	43.6	950	0.7	128	0.469	5.9	0	128	162
5.8	9531	81	118.1	2	43.6	950	0.7	128	0.385	6.3	0	128	174
8.1	9531	81	119	2	44.7	925	0.7	128	0.464	5.6	0	128	184
10.5	9531	79	119	0	44.3	925	0.7	128	0.464	6	0	128	188
12.9	9531	79	119	1	41	1025	0.7	128	0.464	5.9	0	128	196
15.3	9531	77	120	7	45.8	1400	7	128	0.491	6.3	0	128	206
17.6	9531	77	120.9	14	50.2	1825	11.3	128	0.446	5.9	0	128	218
20	9531	77	120.9	16	45.8	1225	5	128	0.464	6.3	0	128	226
22.4	9531	77	120.9	18	35.8	1175	1.2	128	0.469	5.9	0	128	232
24.8	9531	77	120.9	18	35.8	1175	1.2	128	0.469	5.9	0	128	232
27.1	9531	75	121.8	18	48	1500	8.4	128	0.469	5.6	0	128	0
29.5	9531	75	121.8	20	56.1	1600	12.3	128	0.681	6	0	128	10
31.9	9531	72	122.7	22	30.6	1300	1.2	128	0.557	5.7	0	128	14
34.3	9531	72	122.7	21	32.5	1275	1.2	128	0.469	6.1	0	128	26
36.7	9531	72	123.6	18	35.8	1225	6	128	0.473	5.7	0	128	34
39	9531	72	124.5	20	66.4	1900	18.1	128	0.557	6.2	0	128	54
41.4	9531	70	124.5	26	56.5	1750	14.2	128	0.469	5.8	0	128	62
43.8	9531	70	125.4	29	52.1	1875	12.3	128	0.482	6.3	0	128	74
46.2	9531	70	125.4	30	50.2	850	0.7	128	0.522	5.7	0	128	84
48.5	9531	70	126.3	27	36.2	1100	0.7	128	0.508	6.2	0	128	90
50.9	9531	68	126.3	20	39.5	950	0.7	128	0.566	5.8	0	128	98
53.3	9531	66	127.2	10	39.9	1000	0.7	128	0.455	6.1	0	128	102
55.7	9531	66	128	3	40.2	1000	1.7	128	0.464	5.7	0	128	104
58	9531	66	128.9	11	56.1	1650	15.2	128	0.455	6.2	0	128	108
60.4	9531	64	129.8	16	53.9	2300	16.6	128	0.455	5.8	0	128	112
62.8	9531	62	129.8	21	52.4	1725	11.8	128	0.429	6.1	0	128	118
65.2	9531	62	129.8	24	36.2	1475	4.6	128	0.429	5.7	0	128	126
67.5	9531	62	130.7	23	48.7	1450	8.9	128	0.464	6.1	0	128	130
69.9	9531	62	131.6	24	38.8	1525	5	128	0.473	5.7	0	128	130
72.3	9531	59	131.6	25	57.2	1000	5.5	128	0.539	6.3	0	128	134
74.7	9531	59	132.4	27	66.4	1075	9.4	128	0.358	5.6	0	128	134
77	9531	57	133.3	30	58	1150	7.5	128	0.446	6.3	0	128	134

79.4	9531	55	133.3	31	53.5	1150	7	128	0.367	5.9	0	128	134
81.8	9531	55	134.2	32	53.2	1225	5.5	128	0.389	6.3	0	128	134
84.2	9531	54	135	32	34.3	1225	2.6	128	0.575	5.7	0	128	140
86.5	9531	54	135	32	49.5	1250	6.5	128	0.367	6.1	0	128	141
88.9	9531	54	135.9	35	58	1400	5.5	128	0.703	5.7	0	128	143
91.2	9531	54	135.9	36	32.1	1325	2.1	128	0.685	6.1	0	128	143
93.7	9531	54	136.7	34	32.9	1275	2.1	128	0.632	5.7	0	128	148
96.1	9531	54	136.7	34	43.6	1275	5	128	0.345	6.1	0	128	148
98.4	9531	54	137.6	34	40.2	1275	3.1	128	0.345	5.6	0	128	150
100.8	9531	53	137.6	33	35.1	1250	3.1	128	0.385	6	0	128	150
103.1	9531	53	138.4	33	35.8	1250	1.2	128	0.628	5.8	0	128	155
105.5	9531	52	138.4	32	32.5	1150	1.2	128	0.407	6.2	0	128	158
107.9	9531	52	139.2	29	33.6	1125	1.2	128	0.398	5.8	0	128	158
110.3	9531	52	139.2	27	40.2	1075	5.5	128	0.376	6.2	0	128	161
112.7	9531	52	139.2	28	35.1	1075	0.7	128	0.725	5.8	0	128	163
115.1	9531	52	140	27	35.1	1050	1.2	125	0.654	6.2	0	128	166
117.4	9531	52	140	22	38.8	925	1.2	128	0.491	5.8	0	128	166
119.8	9531	52	140	13	38.4	950	0.7	128	0.513	6.3	0	128	170
122.2	9531	51	140.9	4	39.9	950	1.2	128	0.424	5.9	0	128	170
124.6	9531	51	140.9	2	52.8	1400	9.4	128	0.433	6.3	0	128	172
126.9	9531	51	141.7	23	72.7	2325	23.9	128	0.367	5.9	0	128	172
129.3	9531	51	141.7	19	76.8	2325	18.6	128	0.791	6.3	0	128	176
131.7	9531	51	141.7	35	67.9	2350	21.9	128	0.332	5.9	0	128	182
134	9531	51	141.7	38	55.7	2000	14.7	127	0.318	6.3	0	128	187
136.4	9531	55	143.3	41	56.1	1850	12.8	128	0.676	5.7	0	128	189
138.8	9531	51	142.5	43	54.6	1575	11.8	128	0.296	6.3	0	128	193
141.2	9531	69	144.1	45	45.8	1650	7.5	128	0.782	5.7	0	128	193
143.6	9531	69	144.1	43	42.1	1675	7	122	0.769	6	0	127	194
146	9531	48	144.1	43	41.7	1625	8.4	128	0.636	5.6	0	126	196
148.3	9531	49	149.4	43	67.9	1650	17.6	128	0.292	6.2	0	128	199
150.7	9531	48	145.6	49	50.9	2050	12.3	128	0.809	5.6	0	126	199
153	9531	48	152.4	50	43.2	1925	4.1	128	0.734	6.2	0	125	199
155.4	9531	66	155.3	51	27	1300	-5.6	128	0.765	5.9	0	128	203
157.8	9531	86	155.3	49	29.2	1275	-4.6	122	0.827	6.2	0	125	203

160.2	9531	42	155.3	47	24.4	1225	-2.7	117	0.69	5.7	0	121	204
162.6	9531	77	155.3	45	39.9	1200	-5.6	128	0.084	6.3	0	128	204
164.9	9531	70	173.4	47	22.9	1200	-13.3	128	0.155	6.1	0	122	208
167.3	9531	61	170	45	29.5	1200	-9.4	127	0.751	5.5	0	128	209
169.7	9531	70	173.4	41	25.5	1150	-13.3	119	0.725	5.1	0	127	213
172.1	9531	48	170	34	34.7	1050	-13.3	128	0.72	5.3	0	125	218
174.5	9531	35	173.4	27	28.8	800	-13.3	154	0.031	5.1	0	127	218
176.8	9531	35	173.4	16	28.1	850	-13.3	158	0	5.3	0	128	220
178.3	9531	35	173.4	16	28.1	850	-13.3	158	0	5.3	0	128	220
180.7	9531	88	173.4	1	81.2	0	-13.3	128	0.451	17.6	0	128	0
183.1	9531	135	173.4	0	82.7	0	-13.3	128	0.004	18.9	26	128	1
184.8	9531	135	173.4	0	82.7	0	-13.3	128	0.004	18.9	26	128	1
187.2	9531	88	173.4	0	84.2	0	-13.3	128	0.451	17.6	0	128	0
189.6	9531	135	173.4	1	84.2	0	-13.3	128	0.084	18.9	26	128	1
192	9531	68	173.4	0	15.5	1525	-13.3	128	0.738	18.4	0	128	6
194.4	9531	35	173.4	0	63.5	2525	-13.3	128	0.738	18.8	0	128	10
196.7	9531	35	173.4	0	23.6	1950	-13.3	128	0.093	18.4	0	128	11
199.1	9531	35	173.4	0	38.4	500	-13.3	128	0.177	6.1	0	128	14
201.5	9531	55	173.4	7	67.9	1575	2.1	128	0.738	5.6	0	128	18
203.9	9531	75	173.4	8	66.8	2150	17.6	128	0.084	6.3	0	128	18
206.2	9531	35	173.4	23	60.2	3025	17.6	128	0.009	5.8	0	128	18
208.6	9531	45	173.4	29	43.2	1975	2.1	128	0	6.2	0	128	18
211	9531	5	173.4	31	41.4	1975	2.1	128	0.088	5.8	0	128	22
213.4	9531	35	173.4	33	29.2	750	-13.3	128	0.106	6.2	0	128	24
215.7	9531	35	173.4	28	31	725	-13.3	128	0	5.8	0	128	24
218.1	9531	35	173.4	19	37.7	625	-13.3	128	0	6.2	0	128	24
220.5	9531	60	173.4	18	49.5	1750	2.1	128	0.009	5.8	0	128	26
222.9	9531	35	173.4	22	53.2	1825	2.1	128	0	6.2	0	128	26
225.3	9531	35	173.4	25	31.4	1575	-3.6	128	0	5.8	0	128	26
227.6	9531	65	173.4	25	44.7	1650	-1.7	128	0	6.2	0	128	27
228.3	9531	65	173.4	25	44.7	1650	-1.7	128	0	6.2	0	128	27
230.7	9531	88	173.4	19	82.7	0	-13.3	128	0.451	4.8	0	128	0
233	9531	135	173.4	10	82.7	0	-13.3	128	0	4.8	0	128	0